





Item	Date	Remark
A	20080808	Original Drawing



Pin	Symbol
1	N.C. (GND)
2	VCC
3	VCOMH
4	VDDIO
5	VSL
6	D17
7	D16
8	D15
9	D14
10	D13
11	D12
12	D11
13	D10
14	D9
15	D8
16	D7
17	D6
18	D5
19	D4
20	D3
21	D2
22	D1
23	D0
24	E/RD#
25	R/W#
26	BS0
27	BS1
28	N.C.
29	CS#
30	D/C#
31	RES#
32	IREF
33	VDD
34	GPIO0
35	N.C.
36	VCI
37	VSS
38	VLSS
39	N.C. (GND)

Notes:

1. Driver IC: SSD1351
2. Die Size: 10700um x 1500um
3. COF Number: SSD1351U2
4. Interface:
8-/16-/18-bits 68XX/80XX Parallel, 3-/4-wire SPI
5. General Tolerance: ±0.30
6. The total thickness (1.70 Max) is without polarizer protective film & remove tape.
The actual assembled total thickness with above materials should be 1.95 Max.

Customer Approval Signature	Univision Technology Inc.							Drawing Number	Rev.	
								DFE2828HBCF37	A	
	Unless Otherwise Specified		Title	UG-2828GDEDF13 Folding Type OEL Display Module Pixel Number: 128(RGB) x 128, 262144 Colors, COF Package				Material		
	Unit	mm						Soda Lime / Polyimide		
	General Roughness	$\sqrt{\text{ }}$		Drawn	E.E.	Panel / E.	P.M.	Scale	Sheet	Size
	Tolerance		By	Humphrey Lin	Sean Lai	Ivy Lo	Cherry Lin	1:1	1 of 1	A3
Dimension	±0.3	Date	20080808	20080808	20080808	20080808				
Angle	±1									